



Yuasa Fiche de données techniques

Yuasa YBX3335 - Batteries SMF YBX3000

Performance

Tension	12V
Capacité (20 heures)	95Ah
Performances en démarrage à froid (EN1)	720A

Dimensions

Longueur	303mm
Largeur	174mm
Hauteur	222mm



Poids & Mesures

Poids moyen avec acide	20.8kg
------------------------	--------

Caractéristiques du bac

Type de bac	JIS D31 + BH
Système de fixation	B1
Indicateur de l'état de charge	✓
Poignées	✓
Sortie(s) d'aération	✓
Type de couvercle	Double capot (anti-écoulement et sans entretien)

Technologie

Dispositif stop-flamme	✓
Technologie	Ca/Ca
Séparateur	PE
Test de retournement VDA	✓
Taux de charge recommandé	4A
Performance Marking	W3-C2-V2-E1

Type de bornes

T1

Standard DIN Post






Schéma de montage des éléments



Système de fixation de la batterie



Date de publication: 24/09/2021 - E&OE



Yuasa Technical Data Sheet

Yuasa YBX3335 - YBX3000 SMF Batteries

Performance

Voltage	12V
Capacity (20-hour)	95Ah
Cold Cranking Amps (EN1)	720A

Dimensions

Length	303mm
Width	174mm
Height	222mm

Weights & Measures

Mean Weight with Acid	20.8kg
-----------------------	--------



Container Features

Case Type	JIS D31 + BH
Hold Down	B1
State of Charge Indicator	✓
Handles	✓
End Venting	✓
Lid Type	SMF Double Lid


Technology

Flame Arrestor Technology	✓
Separator	Ca/Ca
VDA Roll Over Test	PE
Recommended Charge Rate	✓
Performance Marking	4A
	W3-C2-V2-E1

Terminal Type

T1


Standard DIN Post




Positive Terminal

Negative Terminal

Cell Assembly Layout



Battery Hold-down



Data Sheet generated on 24/09/2021 - E&OE