



## Yuasa Fiche de données techniques

### Yuasa YBX3057 - Batteries SMF YBX3000

#### Performance

Tension	12V
Capacité (20 heures)	45Ah
Performances en démarrage à froid (EN1)	400A

#### Dimensions

Longueur	238mm
Largeur	129mm
Hauteur	225mm



#### Poids & Mesures

Poids moyen avec acide	12.4kg
------------------------	--------

#### Caractéristiques du bac

Type de bac	JIS B24
Schéma de montage	1
Système de fixation	N
Indicateur de l'état de charge	✓
Poignées	✓
Sortie(s) d'aération	✓
Type de couvercle	Double capot (anti-écoulement et sans entretien)


#### Technologie

Dispositif stop-flamme	✓
Technologie	Ca/Ca
Séparateur	PE
Test de retournement VDA	✓
Taux de charge recommandé	3A
Performance Marking	W3-C2-V2-E1


#### Type de bornes

##### T1/T3


Standard DIN Post



Remove T1 adapter for T3



#### Schéma de montage des éléments Système de fixation de la batterie



Date de publication: 24/09/2021 - E&OE



## Yuasa Technical Data Sheet

### Yuasa YBX3057 - YBX3000 SMF Batteries

#### Performance

Voltage	12V
Capacity (20-hour)	45Ah
Cold Cranking Amps (EN1)	400A

#### Dimensions

Length	238mm
Width	129mm
Height	225mm

#### Weights & Measures

Mean Weight with Acid	12.4kg
-----------------------	--------



#### Container Features

Case Type	JIS B24
Cell Layout	1
Hold Down	N
State of Charge Indicator	✓
Handles	✓
End Venting	✓
Lid Type	SMF Double Lid


#### Technology

Flame Arrestor	✓
Technology	Ca/Ca
Separator	PE
VDA Roll Over Test	✓
Recommended Charge Rate	3A
Performance Marking	W3-C2-V2-E1


#### Terminal Type

##### T1/T3


Standard DIN Post



Remove T1 adapter for T3



#### Cell Assembly Layout



#### Battery Hold-down



Data Sheet generated on 24/09/2021 – E&OE